L1-L5 Specifications, models and loop-shaping by hand

2. Stability and robustness

L6-L8 Limitations on achievable performance

L9-L11 Controller optimization: Analytic approach

L12-L14 Controller optimization: Numerical approach

5. Case study

1. Introduction and system representations

3. Specifications and disturbance models

4. Control synthesis in frequency domain

### **Lecture 3: Specifications and Disturbance Models**

Continuing from lecture 2...

- Look at all transfer functions the closed-loop system! (Gang of Four / Gang of six)
- Scalings

New today

- Stochastic disturbances
- From transfer function to output spectrum
- From output spectrum to transfer function

[Glad & Ljung] Ch. 5.1-5.6, 6.1-6.3

### **Specifications**

Find a controller that

- A: Reduces effects of load disturbances
- B: Does not inject too much measurement noise into the system
- C: Makes the closed loop insensitive to variations in the process
- D: Makes output follow command signals

Convenient to use a controller with two degrees of freedom, i.e. separate signal transmission from y to u and from r to u. This gives a complete separation of the problem: Use feedback to deal with A, B, and C. Use feedforward to deal with D!

#### **Designing System with Two Degrees of Freedom**

Design procedure:

- ▶ Design the feedback C to achieve
  - ► Small sensitivity to load disturbances d
  - Low injection of measurement noise n
  - High robustness to process variations
- Then design the feedforward F to achieve desired response to command signals r

For many problems in process control the load disturbance response is much more important than the set point response. The set point response is more important in motion control. Few textbooks and papers show more than set point responses.

## 3. Relations between signals



## A Basic Control System



Ingredients:

ı

- ▶ Controller: feedback C, feedforward F
- Load disturbance d: Drives the system from desired state
- Measurement noise n: Corrupts information about x
- Process variable x should follow reference r

#### System with Two Degrees of Freedom



The controller has two degrees of freedom (2DOF) because the transfer function from reference r to control u is different from the transfer function from y to u.

We have already encountered this in e.g., PID control

$$u(t) = k(br(t) - y(t)) + \int_0^t (r(\tau) - y(\tau))d\tau + \frac{d}{dt}\{0 \cdot r - y\}$$

### Many Versions of 2DOF



For linear systems all 2DOF configurations have the same properties. For the systems above we have

$$CF = M_u + CM_s$$

- A system based on error feedback is characterized by *four* transfer functions (The Gang of Four)
- The system with a controller having two degrees of freedom is characterized by six transfer function (The Gang of Six)
- ► To fully understand a system it is necessary to look at **all** transfer functions
- It may be strongly misleading to only show properties of a few systems for example the response of the output to command signals. This is a common error in the literature.
- ► The properties of the different transfer functions can be illustrated by their transient or frequency responses.

### **Amplitude Curves of Frequency Responses**

PI control  $k=0.775,\,T_i=2.05$  of  $P(s)=(s+1)^{-4}$  with  $M(s)=(0.5s+1)^{-4}$ 



## **An Alternative**

Show the responses in the output and the control signal to a step change in the reference signal for system with pure error feedback and with feedforward. Keep the reference signal constant and make a unit step in the process input.

(Upper:) Output response (Lower:) Control signal.



### **Four Responses**



What is going on?

Six transfer functions are required to show the properties of a basic feedback loop. Four characterize the response to load disturbances and measurement noise.

$$\begin{array}{cc} PC & P \\ \hline 1 + PC & \hline 1 + PC \\ \hline C & 1 \\ \hline 1 + PC & \hline 1 + PC \end{array}$$

Two more are required to describe the response to set point changes.

$$\frac{PCF}{I+PC} \qquad \frac{CF}{1+PC}$$

### **Step Responses**

Pl control 
$$k=0.775,\,T_i=2.05$$
 of  $P(s)=(s+1)^{-4}$  with  $M(s)=(0.5s+1)^{-4}$ 



# A Warning!

Please remember to always look at all responses when you are dealing with control systems. The step response below looks fine but ...





Process  $P(s) = \frac{1}{s-1}$ Controller  $C(s) = \frac{s-1}{s}$ Response of *y* to reference *r* 

$$\frac{Y(s)}{R(s)} = \frac{PC}{1+PC} = \frac{1}{s+1}$$

Response of y to step in disturbance d

$$\frac{Y(s)}{D(s)} = \frac{P}{1+PC} = \frac{s}{s^2 - 1} = \frac{s}{(s+1)(s-1)}$$

### Scaling

Warning: The norms used to measure signal size can be very misleading if we are using states with very different magnitudes!

Common to scale/normalize variables for state representations

$$x_i = x_i^p / d_i$$

where

- x<sup>p</sup><sub>i</sub> corresponds to physical units
- d<sub>i</sub> corresponds to (expected) max size of variable (absolute value).

Can also introduce weighted quadratic norms such as

$$|x|_P^2 = x^T P x$$

where  $P = P^T > 0$ 

#### **Lecture 3: Specifications and Disturbance Models**

Continuing from lecture 2...

- Look at all transfer functions the closed-loop system! (Gang of Four / Gang of six)
- Scalings

New today

- Stochastic disturbances
- From transfer function to output spectrum
- From output spectrum to transfer function

### **Motivation**

Example: Paper thickness - want to keep down variation in output!





Paper thickness

All paper production below the test limit is wasted. Good control allows for lower setpoint with the same waste. The average thickness is lower, which saves significant costs.





[Skogestad] Remark:

- It is particularly important for the sensitivity function  $S = (I + PC)^{-1}$  of a MIMO system that outputs or output errors are of the same magnitude for correct comparisons.
- If operating around a set-point where the expected or allowed variation is not symmetric (e.g. if only positive values allowed) then it may be better to introduce deviations and scale these instead.

### Disturbances cont.



#### Load disturbances

- disturbances which really affect the system
  - ▶ *w<sub>m</sub>* measurable use e.g., in feedforward compensation w<sub>s</sub> non-measurable — controller need to suppress these

#### Measurement disturbances n

Controller should not be "fooled" by measurement disturbances

Common case:  $z = S(u, w_m, w_s)$ , y = z + n where

z is the control objective, y is the measured output

### Motivation cont'd - LQG control

System with process noise w and measurement noise v.

Minimize subject to

$$\int \left( x^T Q_1 x + 2x^T Q_{12} u + u^T Q_2 u \right) dt$$
$$\dot{x} = Ax + Bu + w$$
$$y = Cx + Du + v$$

where v is white noise with intensity  $R_1$  and w is white noise with intensity  $R_2$ .

Can solve two separate problems thanks to

3

Separation principle:

Controller design for full state information Optimal estimation of states ⇒ Output feedback using observer

Linear Quadratic Control (LQ)

Find state-feedback gain  $L = \begin{bmatrix} l_1 & l_2 & \dots & l_n \end{bmatrix}$  for the control u = -Lx, being the solution to the optimization problem

Minimize	$\int \left(x^T Q_1 x + 2x^T Q_{12} u + u^T Q_2 u\right) dt$
subject to	$\dot{x} = Ax + Bu$
	y = Cx + Du

Stochastic Linear Quadratic Control (LQG) Based on information of the noise v and w find the optimal observer/Kalman gain K and use control  $u = -L\hat{x}$ 

Minimize	$\int \left(x^T Q_1 x + 2x^T Q_{12} u + u^T Q_2 u\right) dt$
subject to	$\dot{x} = Ax + Bu + w$
	y = Cx + Du + v

where v is white noise with intensity  $R_1$  and w is white noise with intensity  $R_2$ .

A stochastic process (random process, random function) is a family of stochastic variables  $\{x(t), t \in T\}$ Index set  $T = \{\dots, -h, 0, h, \dots\}$ , or h = 1

A function of two variables  $x(t, \omega)$ 

Fixed  $\omega = \omega_0$  gives a time function  $x(\cdot, \omega_0)$  (realization) Fixed  $t = t_1$  gives a random variable  $x(t_1, \cdot)$ 



### Spectral density

Fourier transform of the covariance function

$$\phi_{xy}(\omega) = \int_{-\infty}^{\infty} r_{xy}(t) e^{-it\omega}$$

and

$$r_{xy}(t) = \int_{-\infty}^{\infty} e^{it\omega} \phi_{xy}(\omega) \, d\omega$$

In particular

$$\mathbf{E}x(t)x^{T}(t)=r_{xx}(0)=\int_{-\infty}^{\infty}\phi_{xx}(\omega)\,d\omega$$

White noise e with intensity R:

$$\Phi_e(\omega) = R$$
 for all frequencies  $\omega$ 



### **Main Problems**

1. Determine covariance function and spectral density of *y* when white noise *u* is filtered through the linear system

$$\dot{x} = Ax + Bu(k)$$
$$y = Cx$$

2. Conversely, find filter parameters *A*, *B* and *C* to give *y* a desired spectral density.

### Zero mean stationary stochastic processes

The distribution is independent of t

Mean-value function

Covariance function

$$r_{xx}(\tau) = \mathbf{E}x(t+\tau)x(t)^T$$

 $\mathbf{E}x(t) \equiv 0$ 

Cross-covariance function

$$r_{xy}(\tau) = \mathbf{E}x(t+\tau)y(t)^T$$

A zero mean Gaussian process x is completely determined by its covariance function.

## Covariance, spectral density, and realization



Error-correction: The spectra should be divided by  $2\pi$ 

### What is this spectrum? — Vuvuzela!



## Spectral density and transfer functions



What is the output spectral density for *y* if the input *u* has spectral density  $\Phi_u(\omega)$ ?

$$Y(i\omega) = G(i\omega)U(i\omega)$$

where  $Y = \mathcal{F}\{y\}$ ,  $U = \mathcal{F}\{u\}$  are the Fourier transforms.

 $\Phi_{y}(\omega) \doteq \Phi_{yy}(\omega) = Y(i\omega)Y(i\omega)^{*} = G(i\omega)U(i\omega)U(i\omega)^{*}G(i\omega)^{*}$ 

Spectral density  $\Phi_{yy}(\omega) = G(i\omega)\Phi_{uu}(\omega)G(i\omega)^*$ 

 $u \to G(s) \xrightarrow{y}$ 

In similar way we find

cross-spectral density  $\Phi_{yu}(\omega) = G(i\omega)\Phi_{uu}(\omega)$ 

"Everything" can be generated by filtering white noise.

Consider the linear system

$$\dot{x} = Ax + Bv, \qquad \Phi_v(\omega) = R$$

The transfer function from v to x is

$$G(s) = (sI - A)^{-1}B$$

and the spectrum for x will be

$$\Phi_{x}(\omega) = (i\omega I - A)^{-1} BR \underbrace{B^{*}(-i\omega I - A)^{-T}}_{G(i\omega)^{*}}$$

$$\dot{x} = Ax + Bv, \qquad \Phi_v(\omega) = R$$

Covariance matrix for state *x*:

$$\Pi_x = R_x = rac{1}{2\pi}\int_{-\infty}^{\infty}\Phi_x(\omega)d\omega$$

Alternative way of calculating  $\Pi_x$ 

#### Theorem [G&L 5.3]

If all eigenvalues of A are strictly in the left half plane (i.e.  $Re\{\lambda_k\} < 0$ ) then there exists a unique matrix  $\Pi_x = \Pi_x^T > 0$  which is the solution to the matrix equation

$$A\Pi_x + \Pi_x A^T + BRB^T = 0$$

## Example cont'd

$$A\Pi_x + \Pi_x A^T + BRB^T = \mathbf{0}_{2 \times 2}$$

Find  $\Pi_x$ :

$$\begin{bmatrix} -1 & 2 \\ -1 & 0 \end{bmatrix} \begin{bmatrix} \Pi_{11} & \Pi_{12} \\ \Pi_{12} & \Pi_{22} \end{bmatrix} + \begin{bmatrix} \Pi_{11} & \Pi_{12} \\ \Pi_{12} & \Pi_{22} \end{bmatrix} \begin{bmatrix} -1 & -1 \\ 2 & 0 \end{bmatrix} + \begin{bmatrix} 1 \\ 0 \end{bmatrix} \begin{bmatrix} 1 & 0 \end{bmatrix} =$$
$$= \begin{bmatrix} 2(-\Pi_{11} + 2\Pi_{12}) + 1 & -\Pi_{12} + 2\Pi_{22} - \Pi_{11} \\ -\Pi_{12} + 2\Pi_{22} - \Pi_{11} & -2\Pi_{12} \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$

Solving for  $\Pi_{11},\,\Pi_{12}$  and  $\Pi_{22}$  gives

$$\implies \Pi_x = \begin{bmatrix} \Pi_{11} & \Pi_{12} \\ \Pi_{12} & \Pi_{22} \end{bmatrix} = \begin{bmatrix} 1/2 & 0 \\ 0 & 1/4 \end{bmatrix} > 0$$

Matlab: lyap([-1 2; -1 0],[1 ; 0]\*[1 0])

#### State-space model

State-space model with disturbances

$$\dot{x}(t) = Ax(t) + Bu(t) + Nw_1(t) z(t) = Mx(t) + D_z u(t) y(t) = Cx(t) + D_y u(t) + w_2(t)$$

where

- w<sub>1</sub> is called state- or system noise
- $w_2$  is called measurement- or output noise

How to handle colored noise?

Example: Consider the system

$$\dot{x} = Ax + Bv \quad = \begin{bmatrix} -1 & 2 \\ -1 & 0 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 1 \\ 0 \end{bmatrix} v$$

where v is white noise with variance 1. What is the covariance for x?

First check the eigenvalues of A :  $\lambda = -\frac{1}{2} \pm i \frac{\sqrt{7}}{2} \in LHP$ . OK!

Solve the Lyapunov equation  $A\Pi_x + \Pi_x A^T + BRB^T = 0_{2,2}$ .

### **Disturbance representations- Spectral factorization**

- Assume that the disturbance w has spectrum  $\Phi_w(\omega)$
- (Spectral factorization) Assume that we can find a transfer function G(s) such that G(iω)RG(iω)\* = Φ<sub>w</sub>(ω) for a constant R.

In that case we can consider w as an output from the linear system G with white noise as input,  $\Phi_v(\omega) = R$  (equal energy for all frequencies/flat spectrum).

If v and w are scalar valued and  $\Phi_w(\omega)$  is a rational function of  $\omega^2$  this is easy to do and furthermore *G* can always be chosen to have stable poles.

Remark: If the characteristic polynomial for  $G(i\omega)$  is  $\Pi_{k=1}^{n}(s-\lambda_{k})$  then  $G^{*}$  will have its poles as the mirrored in the the imaginary axis.

If  $w_1$  and  $w_2$  is colored noise then re-write  $w_1$  and  $w_2$  as output signals from linear systems with *white noise inputs*  $v_1$  and  $v_2$ .

$$w_1 = G_1 v_1, \qquad w_2 = G_2 v_2$$

Make a state space realization of  $G_1$  and  $G_2$  and extend the system description with these states

$$\begin{split} \dot{\overline{x}}(t) &= \overline{A}\overline{x}(t) + \overline{B}\overline{u}(t) + \overline{N}v_1(t) \\ z(t) &= \overline{M}\overline{x}(t) + D_z u(t) \\ y(t) &= \overline{C}\overline{x}(t) + D_y u(t) + v_2(t) \end{split}$$

where the *extended state*  $\overline{x}$  consists of the state x and the states from the state-space realizations of  $G_1$  and  $G_2$ .

 $\overline{A}$  is the corresponding system matrix for the extended system

Lecture 3: Summary	
<ul> <li>Look at all transfer functions the closed-loop system! (Gang of Four / Gang of six)</li> <li>Scalings</li> </ul>	
New today	
<ul> <li>Stochastic disturbances</li> <li>From transfer function to output spectrum</li> <li>From output spectrum to transfer function</li> </ul>	